MIN S. AHN MD|FACS
THE AESTHETIC WELLNESS CENTER

Medications to Discontinue During the Pre-Operative Period

The following drugs either contain aspirin or a non-steroidal anti-inflammatory medication. Therefore, they may cause postoperative problems with abnormal bleeding and bruising.

- ✓ **These drugs must be avoided for two weeks prior to surgery and for two weeks after surgery.**
- ✓ If you need to take something for the relief of minor pain *you may take Tylenol*, or another acetaminophen containing product.
- ✓ If you are taking any steroid or medication for arthritis please let Dr. Ahn or his staff know before surgery.
- ✓ It is very important that you let Dr. Ahn or his staff know if you are currently taking any of these medications.

Advil
Aleve
Alka-Seltzer
Alka-Seltzer Plus
Anacin
Anaprox
Anadynos
Ansaid
A.P.C
Argesic
Arthropan liquid
Arthritis Pain Formula
Arthritis Strength
Bufferin
A.S.A
A.S.A Enseals
Ascriptin
Ascriptin A/D
Ascriptin with codeine
Ascriptin Extra Strength
Asperbuf
Aspergum
Aspirin
Atromid
Axotal
Azolid
Bayer Aspirin
Bayer Aspirin Maximum
Bayer Children's Aspirin
Bayer Children's Cold
Bayer Time Release Aspirin
B.C. Tablets and Powder
Buff-a-Comp
Buff-a-Comp No.3
Bufferin Arthritis Strength
Bufferin Extra Strength
Bufferin with Codeine No. 3
Norgesic
Norgesic Forte
Buffets 2
Buffinol
Buf-Tabs

MIN S. AHN MD|FACS
THE AESTHETIC WELLNESS CENTER

Medications to Discontinue During the Pre-Operative Period

Butazolidin
Cams Arthritis Pain Reliever
Carisoprodol
Cheracol Capsules
Chlortrimeton
Clinoril
Conjesprin Chewable
Cope Tablets
Cosprin Tablets
CP-2 Tablets
Damason P
Darvon Compound
Darvon compound-65
Darvon N with A.S.A
Darvon with A.S.A Pulvules
Di-gesic
Disalcid
Dolobid
Dolprin
Dristan
Durasal Tablets
Easprin
Ecotin
Efficin
Elavil
Emagrin
Emprazil
Empirin with Codeine
Encaprin

Endep
Equagesic Tablets
Etrafon
Excedrin
SK-65 Compound
Stanback
Feldene
Fiorinal
Fish Oil
Flagyl
Flexeril
Four Way Cold Tablets
Gaysal–S
Gelprin
Gemnisin
Goody's
Ibuprofen
Indocin
Indomethacin
Lanorinal
Lioresal
Lortab
Magan
Magsal
Marnal
Maximum Bayer Aspirin
Measurin
Medomen
Methcarbamol with Aspirin
Micrainin
Mobidin
Midol
Mobigesic
Momentum Muscular

Backache Formula
Motrin
Mysteclin F
Nalfon
Naprosyn
Naproxen
Neocylate
Nicobid
Nuprin

Medications to Discontinue During the Pre-Operative Period

Oraflex
Orudis
Pabalate-SF
Pamelor
Parnate
Pepto Bismol Tablets
Pepto Bismol Suspension
Percodan
Percodan Demi Tablets
Persantine
Persistin
Phentermine
Phenylbutazone
Ponstel
Propoxyphene compound 65
Robaxisal
Rufen
Ru-Tuss
S.A.C
Saleto

Salocal
Sine Aid
Sine- off Sinus Med.
Sinutab
Stendin
St. Joseph's Aspirin for Children
St. Joseph's Cold Tablets
Sulindac
Surmontil
Synalgos
Tagamet
Talwin Compound
Tenuate Dospan
Tetracycline
Tolectin
Tolmetin
Triaminicin
Triavil
Trigesic
Trilisate tablets and liquids
Uracel
Vanquish
Verin
Vibramycin
Vitamin E
Voltaren
Zomax
Zorprin